Bibliographie

[1] S. I. Adian, *The Burnside Problem and Identities in Groups*, Springer-Verlag, 1979.

[2] J.-P. Allouche et J. Shallit, The ring of k-regular sequences, *Theoret. Comput. Sci.* **98** (1992), 163–197.

[3] S. E. Aršon, Démonstration de l'existence des suites asymétriques infinies, *Mat. Sb.* **2(44)** (1937), 769–777. En russe, résumé en français.

[4] K. A. Baker, Some problems on avoidability. Exposé au LITP, 1992.

[5] K. A. Baker, G. F. McNulty et W. Taylor, Growth problems for avoidable words, *Theoret. Comput. Sci.* **69** (1989), 319–345.

[6] D. R. Bean, A. Ehrenfeucht et G. F. McNulty, Avoidable patterns in strings of symbols, *Pacific J. of Math.* **85** (1979), 261–294.

[7] J. Berstel, Sur les mots sans carré définis par un morphisme, in *ICALP '79*, H. A. Maurer (éd.), Graz, 1979, pp. 16–25, *Lect. Notes Comp. Sci.* n° 71, Springer-Verlag.

[8] J. Berstel, Some recent results on square-free words, in *STACS '84*, M. Fontet et K. Mehlhorn (éd.), pp. 14–25, *Lect. Notes Comp. Sci.* n° 166, Springer-Verlag, 1984.

[9] J. Berstel et D. Perrin, *Theory of Codes*, Academic Press, 1985.

[10] F.-J. Brandenburg, Uniformely growing k-th power-free homomorphisms, *Theoret. Comput. Sci.* **23** (1983), 69–82.

[11] S. Brlek, Enumeration of factors in the Thue-Morse word, *Discr. Appl. Math.* **24** (1989), 83–96.

[12] A. Carpi, On representation systems, Preprint n° I.C.-R.I. 104/93, Istituto di Cibernetica, Arco Felice (NA), Italia, 1993.

[13] A. Carpi, Overlap-free words and finite automata, *Theoret. Comput. Sci.* **115** (1993), 243–260.

[14] A. Carpi, Repetitions in the Kolakovski sequence, *Bull. EATCS* **50** (1993), 194–196.

[15] J. Cassaigne, Unavoidable binary patterns, *Acta Inf.* **30** (1993), 385–395.

[16] M. Crochemore, Linear searching for a square in a word, *Bull. EATCS* **24** (oct. 1984), 66–72.

[17] J. D. Currie, Open problems in pattern avoidance, *Amer. Math. Monthly* **100** (1993), 790–793.

[18] J. D. Currie et A. Bendor-Samuel, Words without near-repetitions, *Canad. Math. Bull.* **35**,2 (1992), 161–166.

[19] A. de Luca et S. Varricchio, Some combinatorial properties of the Thue-Morse sequence and a problem in semigroups, *Theoret. Comput. Sci.* **63** (1989), 333–348.

[20] R. Dean, A sequence without repeats on x, x^{-1}, y, y^{-1}, *Amer. Math. Monthly* **72** (1965), 383–385.

[21] F. Dejean, Sur un théorème de Thue, *J. Combin. Th. A* **13** (1972), 90–99.

[22] F. M. Dekking, On repetitions of blocks in binary sequences, *J. Combin. Th. A* **20** (1976), 292–299.

[23] F. M. Dekking, Strongly non-repetitive sequences and progression-free sets, *J. Combin. Th. A* **27** (1979), 181–185.

[24] P. Dumas, *Récurrences mahlériennes, suites automatiques, études asymptotiques*, Thèse de doctorat, Université Bordeaux I, 1993.

[25] A. Ehrenfeucht et G. Rozenberg, On the structure of polynomially bounded DOL systems, *Fund. Inform.* **2** (1979), 187–197.

[26] A. Ehrenfeucht et G. Rozenberg, Repetition of subwords in DOL languages, *Inform. and Control* **59** (1983), 13–35.

[27] R. C. Entringer, D. E. Jackson et J. A. Schatz, On nonrepetitive sequences, *J. Combin. Th. A* **16** (1974), 159–164.

[28] P. Erdös, Some unsolved problems, *Magyar Tud. Akad. Mat. Kutató Int. Közl.* **6** (1961), 221–254.

[29] A. A. Evdokimov, Strongly asymmetric sequences generated by a finite number of symbols, *Soviet Math. Dokl.* **9** (1968), 536–539. Traduction anglaise.

[30] P. Goralčik, Un résultat de Mme Mel'ničuk. Exposé au LITP, 1992.

[31] P. Goralčik et T. Vaniček, Binary patterns in binary words, *Inter. J. Algebra Comput.* **1**,3 (1991), 387–391.

[32] D. Hawkins et W. Mientka, On sequences which contain no repetitions, *Math. Student* **24** (1956), 185–187.

[33] S. Istrail, On irreducible languages and nonrational numbers, *Bull. Math. Soc. Sci. Math. R. S. Roumanie* **21** (1977), 301–308.

[34] V. Keränen, Abelian squares are avoidable on 4 letters, in *ICALP '92*, W. Kuich (éd.), Wien, 1992, pp. 41–52, *Lect. Notes Comp. Sci.* n° 623, Springer-Verlag.

[35] A. J. Kfoury, A linear time algorithm to decide whether a binary word contains an overlap, *Theoret. Inform. Appl.* **22** (1988), 135–145.

[36] Y. Kobayashi, Enumeration of irreducible binary words, *Discr. Appl. Math.* **20** (1988), 221–232.

[37] J. Leech, A problem on strings of beads, *Math. Gazette* **41** (1957), 277–278.

[38] A. Lepistö, Repetitions in Kolakovski sequence. Preprint, 1993.

[39] M. Lothaire, *Combinatorics on Words*, *Encyclopedia of Mathematics and its Applications* vol. 17, Addison-Wesley, Reading, Mass., 1983.

[40] F. Mignosi et P. Séébold, If a DOL language is k-power-free then it is circular, in *ICALP '93*, Lund, 1993, *Lect. Notes Comp. Sci.* n° 700, Springer-Verlag.

[41] M. Morse et G. A. Hedlund, Unending chess, symbolic dynamics, and a problem in semigroups, *Duke Math. J.* **11** (1944), 1–7.

[42] B. Mossé, Puissances de mots et reconnaissabilité des points fixes d'une substitution, *Theoret. Comput. Sci.* **99** (1992), 327–334.

[43] J. Moulin-Ollagnier, Preuve de la conjecture de Dejean pour des alphabets à 5, 6, 7, 8, 9 lettres, Prépublication du département de mathématique et informatique n° 89-4, Université Paris-Nord et GRECO de Calcul Formel, 1989.

[44] J. NÉRAUD, Matching a two variable pattern, rapport LITP n° 92-95, 1992.

[45] J. NÉRAUD, Equations in words : an algorithmic contribution, *Bulletin de la Société Mathématique de Belgique*, 1993. À paraître.

[46] J. NÉRAUD, New algorithms for detecting morphic images of a word, in *MFCS' 93*, *Lect. Notes Comp. Sci.* n° 711, Springer-Verlag, 1993.

[47] S. NILGENS, *3-vermeidbare Muster über dem ternären Alphabet*, Diplomarbeit, Fachbereich Informatik, Universität Frankfurt, fév. 1991.

[48] J.-J. PANSIOT, À propos d'une conjecture de F. Dejean sur les répétitions dans les mots, *Discr. Appl. Math.* **7** (1984), 297–311.

[49] P. A. B. PLEASANTS, Non-repetitive sequences, *Proc. Cambridge Phil. Soc* **68** (1970), 267–274.

[50] A. RESTIVO ET S. SALEMI, Overlap-free words on two symbols, in *Automata on Infinite Words*, M. Nivat et D. Perrin (éd.), pp. 198–206, *Lect. Notes Comp. Sci.* n° 192, Springer-Verlag, 1985.

[51] L. ROSAZ, *Unavoidable sets of words*, thèse de doctorat, Université Paris 7, 1993.

[52] P. ROTH, l-occurences of avoidable patterns, in *STACS '91*, C. Choffrut et M. Jantzen (éd.), Hamburg, 1991, *Lect. Notes Comp. Sci.* n° 480, Springer-Verlag.

[53] P. ROTH, Every binary pattern of length six is avoidable on the two-letter alphabet, *Acta Inf.* **29** (1992), 95–106.

[54] G. ROZENBERG ET A. SALOMAA, *The Mathematical Theory of L-Systems*, Academic Press, 1980.

[55] A. SALOMAA, *Jewels of Formal Language Theory*, Computer Science Press, Washington, D.C., 1981.

[56] U. SCHMIDT, Avoidable patterns on two letters, *Theoret. Comput. Sci.* **63** (1989), 1–17.

[57] R. O. SHELTON, Aperiodic words on three symbols I, *J. Reine Angew. Math.* **321** (1981), 195–209.

[58] R. O. SHELTON ET R. P. SONI, Aperiodic words on three symbols II, *J. Reine Angew. Math.* **327** (1981), 1–11.

[59] R. O. Shelton et R. P. Soni, Aperiodic words on three symbols III, *J. Reine Angew. Math.* **330** (1982), 44–52.

[60] H. J. Shyr, A strongly primitive word of arbitrary length and its applications, *Inter. J. Comput. Math., Section A* **6** (1977), 165–170.

[61] A. Thue, Über unendliche Zeichenreihen, *Norske Vid. Selsk. Skr., I. Mat. Nat. Kl., Christiana* **7** (1906), 1–22.

[62] A. Thue, Über die gegenseitige Lage gleicher Teile gewisser Zeichenreihen, *Norske Vid. Selsk. Skr., I. Mat. Nat. Kl., Christiana* **1** (1912), 1–67.

[63] T. Vaniček, Mots inévitables, Thèse, Faculté de mathématiques et de physique, Université Charles, 1989. En tchèque.

[64] T. Zech, Wiederholungsfreie Folgen, *Z. angew. Math. Mech.* **38** (1958), 206–209.

[65] A. I. Zimin, Blocking sets of terms, *Math. USSR Sbornik* **47**,2 (1984), 353–364. Traduction anglaise.